



# Product Description

## Standard Candle B35 clear

Flame-shaped bulb with clear glass and vacuum- or gas-filled bulb with B- or E-base

### Benefits

- At their best in decorative glass chandeliers and wall brackets with clear or textured glass bowls
- Brilliant, visible filament adds small points of brightness for an enriched lighting effect

### Features

- Slender, crystal-clear lamps designed for sparkling highlights
- Creates a classic sparkling atmosphere

### Application

- Home use in living and dining rooms, bedrooms, halls and studies
- Hotel lounges, restaurants, bedrooms, halls, conference rooms and foyers
- Clubs and social areas
- Ballrooms
- Shops and boutiques
- Churches


# Standard Candle B35 clear

## Versions



B22 B 35mm Clear

## Dimensional drawing



Product	D	C (max)
Standard 40W E14 230V B35 CL U 1CT/6X50CT	35 mm	100 mm

Product	D	C (max)
230V 25W CANDLE BC CLEAR	35 mm	94.5 mm

# Standard Candle B35 clear

## Controls and dimming

Dimmable	Yes
----------	-----

## Operating and electrical

Voltage (Nom)	230 V
---------------	-------

## General information

Nominal Lifetime (Nom)	1000 h
Operating Position	UNIVERSAL
Rated Lifetime (Hours)	1000 h

## Light technical

Color Rendering Index (Nom)	100
-----------------------------	-----

## Mechanical and housing

Bulb Finish	Clear
Bulb Shape	B35

## Operating and electrical

Order Code	Full Product Name	Power (Nom)
921485544299	230V 25W CANDLE BC CLEAR	25 W
926000205010	Standard 40W E14 230V B35 CL U 1CT/6X50CT	40 W

## General information

Order Code	Full Product Name	Cap-Base
921485544299	230V 25W CANDLE BC CLEAR	B22

Order Code	Full Product Name	Cap-Base
926000205010	Standard 40W E14 230V B35 CL U 1CT/6X50CT	E14

## Light technical

Order Code	Full Product Name	Luminous Flux (Nom)
921485544299	230V 25W CANDLE BC CLEAR	205 lm

Order Code	Full Product Name	Luminous Flux (Nom)
926000205010	Standard 40W E14 230V B35 CL U 1CT/6X50CT	410 lm

