



ComboCC Gen 4.0

ZJS402 CCC 400Wp 24V RS SOLAR

Combo CC Gen 4.0 is most comprehensive range of solar charge controllers suitable for solar lighting in major, intermediate and minor roads in off-grid and hybrid applications. High system efficacy, optimized design and long life ensures lower cost of ownership. Configurable and easy to operate with remote monitoring and control ready.

Product data


General information	
Driver included	Yes
Control interface	RS-485
Cable	Connectors: Load, PV panel, battery, NTC, RMU, HCU interface
Warranty period	2 years
Operating and electrical	
Battery type	Multiple
Charge controller type	MPPT
Charge controller wattage	80 W
Cable connection kit	Excluded
Controls and dimming	
Dimmable	Yes
Mechanical and housing	
Overall length	138 mm
Overall width	111 mm
Overall height	49.5 mm
Approval and application	
Ingress protection code	IP65 [Dust penetration-protected, jet-proof]

Surge Protection (Common/Differential)	Surge protection at PV input upto 1kV of differential mode kV
Initial performance (IEC compliant)	
Initial LED luminaire efficacy	170 lm/W
Application conditions	
Ambient temperature range	-20 to +45 °C
Solar dimming profile	Configurable
Grid connection type	Offgrid and hybrid (separate Hybrid Charger)
Product data	
Order product name	ZJS402 CCC 400Wp 24V RS SOLAR
Order code	919415811130
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	919415811130
Net Weight (Piece)	1.100 kg

IP65

ComboCC Gen 4.0

Dimensional drawing



ZJS402 CCC 400Wp 24V RS SOLAR

