



Pure line of light. Slim PureLine is an elegant and energy-efficient office lighting solution, offering flexibility for the future of workspaces.

Pureline slim

The PureLine Slim family of luminaires gives you compromise-free office illumination. It is a perfect solution for office application and general indoor area lighting with Sleek profile which helps Declutter the ceilings. The range brings together high-flux lighting with a homogeneous optical system without making any concessions on energy efficiency design.

Benefits

- Optimized lighting for office space: smooth and comfortable
- Dimmable and fixed output drivers
- Suitable for working and non-working areas
- Compliant with office lighting norms
- Sleek with minimal bezel
- Sustainability coupled with comfortable ambience
- Enhance Interiors

Pureline slim

Features

- Superior efficacy of 110 lm/W
- Suitable for Standalone & Continuous Mounting
- Up-Down lighting distribution
- Uniform & volumetric light distribution
- Comfortable Light - CRI of 80 to ensure better color rendering.
- Minimum Bezel and 50mm wide
- Lifetime: 50,000 Hrs. @ Ta45°C, BIS Approbation - Safe and Reliable performance
- THD<10% - Higher power factor, lower peak currents, and higher efficiency.
- Flicker Free Lighting Effects - New light platform and optical design with ripple < 5%
- Lighting solution with high uniformity provides comfort in office lighting experience.
- Connected ready(Dali/interact) versions available for Smart offices/workspaces
- Multiple Lumen Packs & CCT - For different office applications and mounting heights

Application

- Modern Workspaces
- Meeting and Conference room
- Institutions
- Community Centers

Warnings and Safety

- Meant for Indoor Application Only. Should not be used in outdoor environment.

Versions



Pureline Slim 4ft

Application conditions

Ambient temperature range	0 to +45 °C
---------------------------	-------------

Approval and application

Mech. impact protection code	IK02
Ingress protection code	IP20

Operating and electrical

Input Voltage	220 to 240 V
---------------	--------------

General information

Beam angle of light source	- °
Protection class IEC	Safety class I (I)
Driver included	Yes
Flammability mark	F
Optic type	No

Initial performance (IEC compliant)

Initial chromaticity	<5
Init. Color Rendering Index	>80

Mechanical and housing

Color	White
-------	-------

Controls and dimming

Order Code	Full Product Name	Dimmable
919515815225	SP780 H LED25S-6500 PSU W5L112 OD WH	No
919515815226	SP780 H LED25S-4000 PSU W5L112 OD WH	No
919515815228	SP780 H LED23S-4000 PSU W5L112 OC WH	No
919515815252	SP780 H LED22S-6500 PSU W5L112 OD WH	No
919515815253	SP780 H LED22S-4000 PSU W5L112 OD WH	No
919515815254	SP780X H LED22S-6500 PSU W5L112 OD WH	No
919515815255	SP780X H LED22S-4000 PSU W5L112 OD WH	No
919515815257	SP780X H LED20S-4000 PSU W5L112 OC WH	No
919515815263	SP780 H LED25S-4000 PSD W5L112 OD WH	Yes
919515815268	SP780X H LED22S-6500 PSD W5L112 OD WH	Yes
919515815269	SP780X H LED22S-4000 PSD W5L112 OD WH	Yes
919515815276	SP780 H LED50S-6500 PSU W5L224 OD WH	No
919515815277	SP780 H LED50S-4000 PSU W5L224 OD WH	No
919515815278	SP780 H LED46S-6500 PSU W5L224 OC WH	No
919515815279	SP780 H LED46S-4000 PSU W5L224 OC WH	No
919515815280	SP780 H LED44S-6500 PSU W5L224 OD WH	No
919515815281	SP780 H LED44S-4000 PSU W5L224 OD WH	No
919515815282	SP780X H LED44S-6500 PSU W5L224 OD WH	No
919515815283	SP780X H LED44S-4000 PSU W5L224 OD WH	No
919515815284	SP780X H LED40S-6500 PSU W5L224 OC WH	No
919515815285	SP780X H LED40S-4000 PSU W5L224 OC WH	No
919515815286	SP780 H LED36S-6500 PSU W5L224 OD WH	No
919515815287	SP780 H LED36S-4000 PSU W5L224 OD WH	No
919515815288	SP780X H LED36S-6500 PSU W5L224 OD WH	No
919515815289	SP780X H LED36S-4000 PSU W5L224 OD WH	No
919515815290	SP780 H LED50S-6500 PSD W5L224 OD WH	Yes
919515815291	SP780 H LED50S-4000 PSD W5L224 OD WH	Yes
919515815292	SP780 H LED46S-6500 PSD W5L224 OC WH	Yes
919515815293	SP780 H LED46S-4000 PSD W5L224 OC WH	Yes
919515815294	SP780 H LED44S-6500 PSD W5L224 OD WH	Yes
919515815295	SP780 H LED44S-4000 PSD W5L224 OD WH	Yes
919515815296	SP780X H LED44S-6500 PSD W5L224 OD WH	Yes
919515815297	SP780X H LED44S-4000 PSD W5L224 OD WH	Yes
919515815298	SP780X H LED40S-6500 PSD W5L224 OC WH	Yes
919515815299	SP780X H LED40S-4000 PSD W5L224 OC WH	Yes
919515815301	SP780 H LED36S-4000 PSD W5L224 OD WH	Yes
919515815302	SP780X H LED36S-6500 PSD W5L224 OD WH	Yes
919515815303	SP780X H LED36S-4000 PSD W5L224 OD WH	Yes
919515815305	SP780 H LED25S-5700 PSU W5L112 OD WH	No
919515815308	SP780X H LED22S-5700 PSU W5L112 OD WH	No
919515815309	SP780X H LED20S-5700 PSU W5L112 OC WH	No
919515815313	SP780 H LED23S-5700 PSD W5L112 OC WH	Yes
919515815314	SP780 H LED22S-5700 PSD W5L112 OD WH	Yes
919515815315	SP780X H LED22S-5700 PSD W5L112 OD WH	Yes
919515815316	SP780X H LED20S-5700 PSD W5L112 OC WH	Yes
919515815317	SP780 H LED18S-5700 PSD W5L112 OD WH	Yes
919515815318	SP780X H LED18S-5700 PSD W5L112 OD WH	Yes

General information

Pureline slim

Order Code	Full Product Name	Optical cover/lens type
919515815225	SP780 H LED255-6500 PSU W5L112 OD WH	Polycarbonate Diffuser
919515815226	SP780 H LED255-4000 PSU W5L112 OD WH	Polycarbonate Diffuser
919515815228	SP780 H LED235-4000 PSU W5L112 OC WH	PCP
919515815252	SP780 H LED225-6500 PSU W5L112 OD WH	Polycarbonate Diffuser
919515815253	SP780 H LED225-4000 PSU W5L112 OD WH	Polycarbonate Diffuser
919515815254	SP780X H LED225-6500 PSU W5L112 OD WH	Polycarbonate Diffuser
919515815255	SP780X H LED225-4000 PSU W5L112 OD WH	Polycarbonate Diffuser
919515815257	SP780X H LED205-4000 PSU W5L112 OC WH	PCP
919515815263	SP780 H LED255-4000 PSD W5L112 OD WH	Polycarbonate Diffuser
919515815268	SP780X H LED225-6500 PSD W5L112 OD WH	Polycarbonate Diffuser
919515815269	SP780X H LED225-4000 PSD W5L112 OD WH	Polycarbonate Diffuser
919515815276	SP780 H LED505-6500 PSU W5L224 OD WH	Polycarbonate Diffuser
919515815277	SP780 H LED505-4000 PSU W5L224 OD WH	Polycarbonate Diffuser
919515815278	SP780 H LED465-6500 PSU W5L224 OC WH	PCP
919515815279	SP780 H LED465-4000 PSU W5L224 OC WH	PCP
919515815280	SP780 H LED445-6500 PSU W5L224 OD WH	Polycarbonate Diffuser
919515815281	SP780 H LED445-4000 PSU W5L224 OD WH	Polycarbonate Diffuser
919515815282	SP780X H LED445-6500 PSU W5L224 OD WH	Polycarbonate Diffuser
919515815283	SP780X H LED445-4000 PSU W5L224 OD WH	Polycarbonate Diffuser
919515815284	SP780X H LED405-6500 PSU W5L224 OC WH	PCP
919515815285	SP780X H LED405-4000 PSU W5L224 OC WH	PCP
919515815286	SP780 H LED365-6500 PSU W5L224 OD WH	Polycarbonate Diffuser
919515815287	SP780 H LED365-4000 PSU W5L224 OD WH	Polycarbonate Diffuser
919515815288	SP780X H LED365-6500 PSU W5L224 OD WH	Polycarbonate Diffuser

Order Code	Full Product Name	Optical cover/lens type
919515815289	SP780X H LED365-4000 PSU W5L224 OD WH	Polycarbonate Diffuser
919515815290	SP780 H LED505-6500 PSD W5L224 OD WH	Polycarbonate Diffuser
919515815291	SP780 H LED505-4000 PSD W5L224 OD WH	Polycarbonate Diffuser
919515815292	SP780 H LED465-6500 PSD W5L224 OC WH	PCP
919515815293	SP780 H LED465-4000 PSD W5L224 OC WH	PCP
919515815294	SP780 H LED445-6500 PSD W5L224 OD WH	Polycarbonate Diffuser
919515815295	SP780 H LED445-4000 PSD W5L224 OD WH	Polycarbonate Diffuser
919515815296	SP780X H LED445-6500 PSD W5L224 OD WH	Polycarbonate Diffuser
919515815297	SP780X H LED445-4000 PSD W5L224 OD WH	Polycarbonate Diffuser
919515815298	SP780X H LED405-6500 PSD W5L224 OC WH	PCP
919515815299	SP780X H LED405-4000 PSD W5L224 OC WH	PCP
919515815301	SP780 H LED365-4000 PSD W5L224 OD WH	Polycarbonate Diffuser
919515815302	SP780X H LED365-6500 PSD W5L224 OD WH	Polycarbonate Diffuser
919515815303	SP780X H LED365-4000 PSD W5L224 OD WH	Polycarbonate Diffuser
919515815305	SP780 H LED255-6500 PSU W5L112 OD WH	Polycarbonate Diffuser
919515815308	SP780X H LED225-6500 PSU W5L112 OD WH	Polycarbonate Diffuser
919515815309	SP780X H LED205-6500 PSU W5L112 OC WH	PCP
919515815313	SP780 H LED235-6500 PSD W5L112 OC WH	Polycarbonate Diffuser
919515815314	SP780 H LED225-6500 PSD W5L112 OD WH	Polycarbonate Diffuser
919515815315	SP780X H LED225-6500 PSD W5L112 OD WH	Polycarbonate Diffuser
919515815316	SP780X H LED205-6500 PSD W5L112 OC WH	PCP
919515815317	SP780 H LED185-6500 PSD W5L112 OD WH	Polycarbonate Diffuser
919515815318	SP780X H LED185-6500 PSD W5L112 OD WH	Polycarbonate Diffuser

Initial performance (IEC compliant)

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
919515815225	SP780 H LED255-6500 PSU W5L112 OD WH	6500 K	125 lm/W	2500 lm	20 W
919515815226	SP780 H LED255-4000 PSU W5L112 OD WH	4000 K	125 lm/W	2500 lm	20 W
919515815228	SP780 H LED235-4000 PSU W5L112 OC WH	4000 K	115 lm/W	2300 lm	20 W
919515815252	SP780 H LED225-6500 PSU W5L112 OD WH	6500 K	120 lm/W	2200 lm	18 W
919515815253	SP780 H LED225-4000 PSU W5L112 OD WH	4000 K	120 lm/W	2200 lm	18 W
919515815254	SP780X H LED225-6500 PSU W5L112 OD WH	6500 K	120 lm/W	2200 lm	18 W
919515815255	SP780X H LED225-4000 PSU W5L112 OD WH	4000 K	120 lm/W	2200 lm	18 W

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
919515815257	SP780X H LED205-4000 PSU W5L112 OC WH	4000 K	110 lm/W	2000 lm	18 W
919515815263	SP780 H LED255-4000 PSD W5L112 OD WH	4000 K	125 lm/W	2500 lm	20 W
919515815268	SP780X H LED225-6500 PSD W5L112 OD WH	6500 K	120 lm/W	2200 lm	18 W
919515815269	SP780X H LED225-4000 PSD W5L112 OD WH	4000 K	120 lm/W	2200 lm	18 W
919515815276	SP780 H LED505-6500 PSU W5L224 OD WH	6500 K	125 lm/W	5000 lm	40 W
919515815277	SP780 H LED505-4000 PSU W5L224 OD WH	4000 K	125 lm/W	5000 lm	40 W
919515815278	SP780 H LED465-6500 PSU W5L224 OC WH	6500 K	115 lm/W	4600 lm	40 W

Pureline slim

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
919515815279	SP780 H LED46S-4000 PSU W5L224 OC WH	4000 K	115 lm/W	4600 lm	40 W
919515815280	SP780 H LED44S-6500 PSU W5L224 OD WH	6500 K	120 lm/W	4400 lm	36 W
919515815281	SP780 H LED44S-4000 PSU W5L224 OD WH	4000 K	120 lm/W	4400 lm	36 W
919515815282	SP780X H LED44S-6500 PSU W5L224 OD WH	6500 K	120 lm/W	4400 lm	36 W
919515815283	SP780X H LED44S-4000 PSU W5L224 OD WH	4000 K	120 lm/W	4400 lm	36 W
919515815284	SP780X H LED40S-6500 PSU W5L224 OC WH	6500 K	110 lm/W	4000 lm	36 W
919515815285	SP780X H LED40S-4000 PSU W5L224 OC WH	4000 K	110 lm/W	4000 lm	36 W
919515815286	SP780 H LED36S-6500 PSU W5L224 OD WH	6500 K	120 lm/W	3600 lm	30 W
919515815287	SP780 H LED36S-4000 PSU W5L224 OD WH	4000 K	120 lm/W	3600 lm	30 W
919515815288	SP780X H LED36S-6500 PSU W5L224 OD WH	6500 K	120 lm/W	3600 lm	30 W
919515815289	SP780X H LED36S-4000 PSU W5L224 OD WH	4000 K	120 lm/W	3600 lm	30 W
919515815290	SP780 H LED50S-6500 PSD W5L224 OD WH	6500 K	125 lm/W	5000 lm	40 W
919515815291	SP780 H LED50S-4000 PSD W5L224 OD WH	4000 K	125 lm/W	5000 lm	40 W
919515815292	SP780 H LED46S-6500 PSD W5L224 OC WH	6500 K	115 lm/W	4600 lm	40 W
919515815293	SP780 H LED46S-4000 PSD W5L224 OC WH	4000 K	115 lm/W	4600 lm	40 W
919515815294	SP780 H LED44S-6500 PSD W5L224 OD WH	6500 K	120 lm/W	4400 lm	36 W
919515815295	SP780 H LED44S-4000 PSD W5L224 OD WH	4000 K	120 lm/W	4400 lm	36 W

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
919515815296	SP780X H LED44S-6500 PSD W5L224 OD WH	6500 K	120 lm/W	4400 lm	36 W
919515815297	SP780X H LED44S-4000 PSD W5L224 OD WH	4000 K	120 lm/W	4400 lm	36 W
919515815298	SP780X H LED40S-6500 PSD W5L224 OC WH	6500 K	110 lm/W	4000 lm	36 W
919515815299	SP780X H LED40S-4000 PSD W5L224 OC WH	4000 K	110 lm/W	4000 lm	36 W
919515815301	SP780 H LED36S-4000 PSD W5L224 OD WH	4000 K	120 lm/W	3600 lm	30 W
919515815302	SP780X H LED36S-6500 PSD W5L224 OD WH	6500 K	120 lm/W	3600 lm	30 W
919515815303	SP780X H LED36S-4000 PSD W5L224 OD WH	4000 K	120 lm/W	3600 lm	30 W
919515815305	SP780 H LED25S-5700 PSU W5L112 OD WH	5700 K	125 lm/W	2500 lm	20 W
919515815308	SP780X H LED22S-5700 PSU W5L112 OD WH	5700 K	120 lm/W	2200 lm	18 W
919515815309	SP780X H LED20S-5700 PSU W5L112 OC WH	5700 K	110 lm/W	2000 lm	18 W
919515815313	SP780 H LED23S-5700 PSD W5L112 OC WH	5700 K	115 lm/W	2300 lm	20 W
919515815314	SP780 H LED22S-5700 PSD W5L112 OD WH	5700 K	120 lm/W	2200 lm	18 W
919515815315	SP780X H LED22S-5700 PSD W5L112 OD WH	5700 K	120 lm/W	2200 lm	18 W
919515815316	SP780X H LED20S-5700 PSD W5L112 OC WH	5700 K	110 lm/W	2000 lm	18 W
919515815317	SP780 H LED18S-5700 PSD W5L112 OD WH	5700 K	120 lm/W	1800 lm	15 W
919515815318	SP780X H LED18S-5700 PSD W5L112 OD WH	5700 K	120 lm/W	1800 lm	15 W

Pureline slim

